

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

## **Datasheet**

## SC65 MaxPab mouse polyclonal antibody (B01)

Catalog Number: H00010609-B01

Regulation Status: For research use only (RUO)

Product Description: Mouse polyclonal antibody raised

against a full-length human SC65 protein.

**Immunogen:** SC65 (NP\_006446, 1 a.a. ~ 437 a.a)

full-length human protein.

## Sequence:

MARVAWGLLWLLLGSAGAQYEKYSFRGFPPEDLMPL
AAAYGHALEQYEGESWRESARYLEAALRLHRLLRDSE
AFCHANCSGPAPAAKPDPDGGRADEWACELRLFGRV
LERAACLRRCKRTLPAFQVPYPPRQLLRDFQSRLPYQ
YLHYALFKANRLEKAVAAAYTFLQRNPKHELTAKYLNY
YQGMLDVADESLTDLEAQPYEAVFLRAVKLYNSGDFR
SSTEDMERALSEYLAVFARCLAGCEGAHEQVDFKDFY
PAIADLFAESLQCKVDCEANLTPNVGGYFVDKFVATM
YHYLQFAYYKLNDVRQAARSAASYMLFDPKDSVMQQ
NLVYYRFHRARWGLEEEDFQPREEAMLYHNQTAELR
ELLEFTHMYLQSDDEMELEETEPPLEPEDALSDAEFE
GEGDYEEGMYADWWQEPDAKGDEAEAEPEPELA

Host: Mouse

Reactivity: Human

Applications: WB-Tr

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Storage Buffer: No additive

Storage Instruction: Store at -20°C or lower. Aliquot to

avoid repeated freezing and thawing.

Entrez GenelD: 10609

Gene Symbol: SC65

Gene Alias: NOL55

Gene Summary: This nucleolar protein was first characterized because it was an autoantigen in cases on interstitial cystitis. The protein, with a predicted molecular weight of 50 kDa, appears to be localized in the particulate compartment of the interphase nucleolus, with a distribution distinct from that of nucleolar protein B23. During mitosis it is associated with chromosomes. [provided by RefSeq]